Approve	d For Release 2005/02/17 : CIA-RE	DP83-00415R01020008000	烈 Library
25X1	DIMINI	7	25X1
5X German Democratic Republ	ic		
GDR MINIST	'RY FOR HEAVY INDUSTRY		CRITICIZING
25X			] :
25X	,	2	
25X			
some of the	rigures of the Five-Year Plans (all figures in 1,000 tons):	n law are not entirely:	realistic.
55Vk	these figures require ities, as follows: 1952 750;	revision, particularly	v from the point of
25X1 2. Following are th 25X+-1,400; and 1955 1,	able to deliver 300.000 tons	the figures for 19 brown coal coking pla in 1952.	54-1955 are correct, nt, which must still
GDR believes this to be istically speaking, the	ons of brown coal coke. It t. It will be unrealistic to e construction of two large-spossible since no ax operating GDR can count on the completing to the construction of the production to the completing the second coking plant.	scale coking plants in ng experience is avail lon of only one large-	1952. No one in the able as yet. Real-scale coking plant
25X#ilowatt hours.  25X#ilowatt hours.  the people-owned power p	the continued error lants and underestimating the esults in plan overfulfillments.	sible to produce no mo of overestimating the at of the SAG (Soviet o	re than 10,287 million power potential of Corporation) power derfulfillment by the
is composed of the opera	s for the mining of 2,650,000 ting output of 1.8 million to n a questionable non-igneous tally unrealistic.	ons of the Mansfeld min	nes: the remaining

## Approved For Release 2005/02/17: CIA-RDP83-00415R010200080002-7 SECRET 25X1German Democratic Republic 25X1RESOLUTION FOR IMPROVEMENT OF PLAN PERFORMANCE ADOPTED BY THE GDR MINISTRIAL COUNCIL 25X1 25X 1. The third quarter report indicates that gross production plans for machine-building, electrical goods, and building materials were not fulfilled. The kupuakudix criticism repeatedly voiced against the machine-building and electrical industries of being too slow in converting to vital production still applies. The production programs of the other branches of industry are not properly adjusted to demand. Rraduzki Some of the items not meeting plans are: Steam 25X turbines, large turning lathes, trucks and tractors, castings and forgings, electric motors, bricks, and roofing tiles. The quality of some of the output does not meet standards and there 25X are many rejects. 25X<sup>-</sup> copper, electrolytic lead, and wool could not be 3. Foreign trade --imported. That situation had an adverse effectson the machine-building, electrical, and textile 25X1industries. the wages in the people-owned industries 25X1 did not develop in accordance with existing regulations. The necessary wage differentials are 25X1not maintained. ry mine workers were raised by 29.6 percent and for qualified miners by 28.9 percent. In petro-25X11eum and tar production, wages of auxiliary workers rose by 24.8 percent and for qualified workers by 18.5 percent. A similar situation prevails in cellulose and paper production, in 25X1paper and cardboard processing, and in the building industry. The Minister of Labor was re-25X1 mek quested to examine the situation in conjunction with the Ministers of Heavy Industry, k Light Industry, and Machine-Building and the State Secretariat for Foodstuffs, Beverages, and Tobacco and to take remedial action. 9. In the cost picture, the planned lowering of costs was not achieved, particularly in machine building and in the foodstuffs, beverages, and tobacco industry. 10. In the field of investments, too little attention is being paid to the investment plan. Power capacities have not been completed even though difficulties have arisen in power supply. · In many\_cases the machine-building industry did not assure deliveries of industrial installations / capital goods / particularly those for the establishment of key enterprises .--The plan for cultural and social buildings in the people-owned industry has been neglected. The Main Administration of the Building Industry and the Ministry for Reconstruction pay only insufficient insufficient attention to the home-building program. The homes built are not ready for occupancy and therefore they are very inadequate.

25X1